

FLOOR PLANS 1:100



UNIT 1 FLOOR AREA UNIT 2 FLOOR AREA UNIT 3 FLOOR AREA UNIT 4 FLOOR AREA


117.7m² 117.7m² 114.8m² 117.7m² TOTAL GROSS FLOOR AREA 467.9m²

(前DOO#FRQVWUXFWEQ和。却FFRUGDQFH把 MK 税 (1) V6937 # ####
UHODWHG税(1) EF#SRFXFH(WW和DFOXG取り割5部V4
の即OO#FRQFHWH把 RUMMR#FRFSO\松 MK税(1) V643< # # 税(1) V6457
の即OO#FRQFHWH把 RUMMR#FRFSO\松 MK税(1) V643< # # 税(1) V6457
の即OO#FRQFHWDOV#MR#HTL[H6税(1) PFFRUGDQFH税 MK # # W1755<
の即OO#FRMFWDOV#MR#HTL[H6税(1) PFFRUGDQFH税 MK # F P DQ X ID FWX UHUV税 UMWHQ 和V WUXFWEQV WFKHFN和DO场(1) PHQ V1RQ V4RQ # WHIP MFKHFN和DO场(1) PHQ V1RQ V4RQ # WHIP MFKHFN和DO场(1) THQ V1RQ V4RQ # WHIP MFKHFN和DO场(1) THQ V1RQ WTMQ WTM MFKHFN和DOM(1) THQ V1RQ WTMQ WTM MFKHFN和DOM(1) THE MFKHFNADOM(1) THE MF





WD\ORU#URDG#GXSOH[\*V

IVVXHG = 5623925354 GUDZ Q框\= WIWOH= IORRU#SODQV WIMOH = IORRU#SODQV
GHVUQKEXVHBUPEXBHFKCHEKBU BHPP DQ BKKHBURSHUM/B: I
GHVUQKEXVHBUPEXBHFKCHEKBU BKKHKUKEXBKG BK BKHBUG BFKCHUM
SUR BKUBPOVHO BKQ BKG BOO (BKK BOO GBKC BKBHFK SEB G BOO)
SUR MHFW#W WD WX V = ODQG #KVH#FRQVHQW



**UNITS 1 & 2 NORTH ELEVATION** 1:100







**UNITS 1 & 2 WEST ELEVATION** 

DESIGN HOUSE 54 MD\ORUMHUUDFH VW#DQGUHZ V

ARCHITECTURE

WD\ORU#URDG#GXSOH[\*V

1:100

IVVXHG = 5623925354 GUDZ Q框\= XQIW#4#)#5#HOHYDWIRQV WIWOH=



**UNITS 3 & 4 NORTH ELEVATION** 

1:100

**UNITS 3 & 4 WEST ELEVATION** 

H.P. SV25 BANDSAWN PROFILE RANDOM WIDTH CFDAR

OVER HORIZONTAL CASTELLATED 45X20 H3.1 VERTIGATION

OVER HORIZONTAL CASTELLATED 45X20 H3.1 VERTIBAT


CAVITY BATTENS & PAUL INDUSTRIES FASTWRAP WALL UNDERLAY. ALL INSTALLED AS PER MANUFACTURERS

WRITTEN INSTRUCTIONS

R.I. 'TRIMRIB S' COLORSTEEL LONGRUN 0.4mm ROOFING OVER PAUL INDUSTRIES
—FLAMESPEC SS ROOFING UNDERLAY & JAMES HARDIE VERTICAL STRIA OVER 45X20 70X45 H1.2 PURLINS @ 700 CRS MAX AS PER MANUFACTURERS WRITTEN INSTRUCTIONS CASTELLATED H3.1 CAVITY BATTENS & PAUL INDUSTRIES FASTWRAP WALL UNDERLAY. ALL INTSTALLED AS PER MANUFACTURERS WRITTEN INSTRUCTIONS +35,500 1 GROUND FLOOR ALL EXPOSED SLAB EDGES SELECTED DOUBLE GLAZED TO BE PAINTED BLACK WITH RESENE X-200 OR SIMILAR

> **UNITS 3 & 4 SOUTH ELEVATION** 1:100

& DOOR SCHEDULE



**UNITS 3 & 4 WEST ELEVATION** 

ALL EXPOSED SLAB EDGES
TO BE PAINTED BLACK WITH
RESENE X-200 OR SIMILAR

1:100

1:100

R.I. 'TRIMRIB S' COLORSTEEL LONGRUN 0.4mm ROOFING OVER PAUL INDUSTRIES

0.4IIII NOOFING OVER FACE INDUSTRIES
FLAMESPEC SS ROOFING UNDERLAY &
70X45 H1.2 PURLINS @ 700 CRS MAX AS PER
MANUFACTURERS WRITTEN INSTRUCTIONS

SELECTED DOUBLE GLAZED

– JOINERY. REFER TO WINDOW

& DOOR SCHEDULE

R.I. '125 BOX' PROFILE
COLORSTEEL SPOUTING

+35,500 1 GROUND FLOOR

DESIGN HOUSE S4 ND \OR U WHILE V WHO Q G UHZ V ARCHITECTURE

WD\ORU#URDG#GXSOH[\*V 54#WD\ORU#WHUUDFH

WD\ORU#URDG#GXSOH[*V	КННМ	D535	IVVX HG = 5623925354		
54 #WD\ORU#WHUUDFH	ину и	D 3 3 3	GUDZ Q框\=		KN
VW#DQGUHZV  WKHVH#SODQV#\#SHVMQV#DUH#FRS\UMKW#\#UHPDD#WKH#SURSHUW\#KI	WIWOH	WIMOH = XQIW#6#) #7#HOHYDWIRQV			
GHV LIQ MKRX VHEDUFK TMHFWX UHEWK DH#WKH\#VKRX OG 和RWEHFFR STEG 和P 中口\ IRUP	SURMHFW#VWDWXV= ODQG#XVH#FRQVHQW				







